OFFICE USE ONLY:			
Date:	Fee Due:	Receipt#	Permit #
L			



PLANNING & DEVELOPMENT SERVICES

BUILDING & CODE REGULATION DIVISION 2300 Virginia Avenue Ft. Pierce, FL 34982-5652 772-462-1553

APPLICATION FOR ALUMINUM STRUCTURES PERMIT ALL INFO MUST BE COMPLETE & FILLED IN TO BE ACCEPTED

PROJECT INFORMATION

1. LOCATION/SITE ADDRE	ESS:				
2. PROJECT NAME:	PROJECT NAME: SITE PLAN NAME:				
	PROPERTY TAX ID #:				
4. LEGAL DESCRIPTION (a					
5. PLAT BK	PAGE	BLOCK	L	OT	
6. PARCEL SIZE: ACRES/SQ FT. LOT DIMENSIONS					
7. SETBACKS (ACTUAL)	FRONT:	BACK:	RIGHT SID	E: LEF	T SIDE:
8. TYPE OF STRUCTURE (CHECK ALL APPROPRIATE BOXES FOR EACH AND EVERY TYPE OF STRUCTURE)					
TYPE OF CONSTRUCTION	N = New $A = Addition$ $R = Rebuild$	SG = Slab on Grade SR = Raised Slab WD = Wood Deck		DIMENSIONS	SQUARE FEET OF CONSTRUCTION
☐ SCREEN ROOM		□ NEW □ EXIS	TING	X	
☐ CARPORT/PATIO ROOF		□ NEW □ EXIS	TING	X	
☐ HABITABLE GLASS ROOM		□ NEW □ EXIS	TING	X	
☐ CAT 1, 2 OR 3 SUNROOM		□ NEW □ EXIS	TING	X	
☐ ALUMINUM COMP. SHED		□ NEW □ EXIS	TING	X	
☐ POOL ENCLOSURE		□ NEW □ EXIS	TING	X	
☐ M H ROOF OVER		□ NEW □ EXIS	TING	X	
ROOF SYSTEM OVER EXISTING ACCESSORY STRUCTURE		□ NEW □ EXIS	TING	X	
☐ OTHER:		□ NEW □ EXIS	TING	X	
☐ ALUM POOL FENCE					Linear feet
TOTAL SQUARE FOOTAGE OF CONSTRUCTION					
9. VALUE OF CONSTRUCTION					

The value of construction is used to determine the amount of permit fees to be assessed. St. Lucie County reserves the right to question and/or modify the indicated value of construction if it is demonstrated that the submitted figures are not consistent with similar types of construction activities. If the value is \$2500 or more, a RECORDED Notice of Commencement must be submitted PRIOR TO FIRST INSPECTION.

SLCCDV Form No.: 001-02 Rev.04/26/2010

OWNER IN	FORMATION	1					
NAME:							
PHONE (DAY	TIME): ()		EMAII	J:		
FILL IN NAM	E AND ADDR	ESS BELOW I	F THE FEE SIM	PLE TITLEHOL	DER (PROPERTY	Y OWNER) IS DIFF	FERENT FROM
THE OWNER	LISTED ABO	VE:					
FEE SIMPLE	TITLEHOLDE	R:					
ADDRESS: _							······
CITY:			STATE	E:	ZIP		
PHONE (DAY	TIME): ()					
CONTRACT	OR INFORM	MATION					
STATE OF FL	ORIDA REG./	CERT #:		ST. L	UCIE COUNTY (CERT #:	
PHONE (DAY	TIME): (_)	FAX N	0	email	:	
ARCHITECT/	ENGINEER:						
•	, , , , , , , , , , , , , , , , , , , ,			T BE ATTACHED	TO APPLICATION F	OR ROOFING, ELECT	TRIC, PLUMBING,
ZONING RE	QUIREMEN	ITS					
All such structu	ures will be sub	ject to the requi	rements of the S'	T. LUCIE COUN	NTY LAND DEVE	ELOPMENT CODE.	
☐ 2 scaled	plot plans show	ving lot size, di	mensions of exist	ting host structure	e, and proposed alu	ıminum addition. Al	
	=		=			hall be indicated on	= =
			aged areas to be or construction u			clude house address	number for
		1			,		
			OFFIC	CE USE ONL	Y		
SECTION		TOWNSHIP		RANGE		MAP NO.	
ZONING		LAND USE		LOT CVG %		Additional Permits Required	
REPORT CODE		BIMS FEE	\$	MISC FEES	\$	TOTAL FEES	\$
BUILDING & ZONING REVIEW							
REVIEW	FRONT COUNTER	ZONING	SUPERVISOR	PLANS EXAMINER	VEGETATION		ONSTRUCTION CC TABLE
DATE COMPLETE							
INITIALS							

PLAN REVIEW SPECIFICATION CHECKLIST

PLEASE PROVIDE ONE OF THE FOLLOWING:

2 Sets of Detailed Plans: Dated, Signed & Sealed by an Engineer or Architect holding a Florida State professional license.
2 Sets of Detailed Plans: Designed in accordance with the AAF Guide to Aluminum Construction in High Wind Areas.
2 Sets of Detailed Plans: Designed in accordance with any Approved Manual per fs-489.113.

(I) ANY PLANS SUBMITTED WITHOUT COMPLYING WITH THE FOLLOWING SHALL BE RETURNED WITHOUT APPROVAL. ALL PLANS MUST BE IN INK AND ANY NOTATIONS IN PENCIL WILL NOT BE CONSIDERED A PART OF A SUBMISSION.

- All plans must be legible and must be designed in Architect's Scale on pages which are 81/2" x 11" or larger.
- All relevant tables & details, if using a manual, must be properly highlighted and must match design checklists & drawings.
- The plan view must include all dimensions; the location of the host structure and all materials must be sized and identified thereon.
- All elevations must be shown, including 4th wall detail, dimensions and all material must be sized and identified.
- All primary and secondary carrier beams, spans, spacing, gauges must be shown [Example: 2" x 8" x .072"].
- All methods of fastening or other details which are relevant to the design must be identified on the Plans.
- All upright column heights, sizes, spacing and gauges must be shown as follows: [Example: 3" x 3" x .050"].
- All chair-rails, roof purlins, girts, channels, knee-bracing, k-bracing, cable bracing or any other required component
 must be sized and identified.
- All ridge beams and super gutter or fascia attachments must be identified.
- All roof pans or composite panels, with gauges and spans, must be sized and identified.
- All footing, slab and ISO pier designs must be on the plans, per the Architect / Engineer's plans & specifications.
- All light metal alloys which are utilized shall be designed in conformity with the Florida Bldg Code of 2010, Chapter 20.
- Barrier railings, if utilized, shall have all materials, fasteners and height specified and shall have self-closing, self-catching gates with picket spacing.
- (II) SITE CONSTRUCTED SHEDS, HAVING *ANY* ALUMINUM COMPONENT, SHALL MEET ALL OF THE ABOVE REQUIREMENTS AND THE FOLLOWING ADDITIONAL ITEMS:
 - (A) 2 copies of the current product approval [i.e. N.O.A. or State of Florida approval] with the proposed "opening" or cladding component highlighted and with fasteners and design pressures, per FBC 1714, clearly identified.
 - (B) 2 electric schematics, in accordance with the N.E.C., if applicable.
 - (C) Design pressures, per ASCE-7, identified on the openings of all Plans.
- (III) HABITABLE ROOMS/ADDITIONS DESIGNS SHALL MEET ALL OF THE ABOVE REQUIREMENTS, EXCEPT AAMA SPECIFICATIONS, AND CHAPTER 13 OF THE FLORIDA BUILDING CODE.
- (IV) SUNROOMS (as defined in R202 and FBC 2002.6) MAY BE CONSTRUCTED, SO LONG AS THEY MEET ALL OF THE ABOVE REQUIREMENTS AND MUST BE IN STRICT COMPLIANCE WITH AAMA/NPEA/NSA2100.02 AND MEET THE FOLLOWING ADDITIONAL ITEMS:
 - (1) The designer or engineer will state on all Plans, which Category of Design [3.1.2] will be used, inclusive of the definition.
 - (2) If designing a Category 4 or Category 5 structure, as defined in the current Edition of 3.1.2.4 and 3.1.2.5, proper energy calculations and long form equipment sizing calculations shall be required, pursuant to Chapter 13 of the current State of Florida Building Code.
- (V) MOBILE HOMES (FAC 15C-2.0081 FAC 15C-2.0072): ALL STRUCTURES ADJACENT TO OR NEW ROOF SYSTEMS (Pan or Composite) OVER EXISTING ADJACENT STRUCTURES TO A MOBILE HOME SHALL REQUIRE:
 - (a) A 4th wall or a current, signed original manufacturer's attachment approval letter which includes the model number, serial number and current owner's name and street address.
 - (b) That the complete guide to H.U.D. specifications be strictly adhered to.
 - (c) A Certified Florida Engineer may design the manner of attachment of the proposed structure to the host house but shall assume full responsibility for both structures' integrity by site specific documentation.

CERTIFICATION:

This application is hereby made in order to obtain a permit to do the work and installations as indicated, and to obtain a certificate of capacity, if applicable, for the permitted work.

NOTICE TO OWNER: FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU

PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE

RECORDING YOUR NOTICE OF COMMENCEMENT.

NOTICE TO APPLICANT: IN THE EVENT IT IS NOT YOUR RIGHT TITLE OR INTEREST THAT IS SUBJECT TO

ATTACHMENT, THE APPLICANT DOES HEREBY MAKE A GOOD FAITH PROMISE TO DELIVER A COPY OF THE ATTACHED CONSTRUCTION LIEN LAW NOTICE TO THE PERSON WHOSE PROPERTY IS SUBJECT TO ATTACHMENT, AND DOES SO AS A

CONDITION PRECEDENT TO THIS PERMIT

- 1. If utilizing the AAF Guide to Aluminum Construction in High Wind Zones, I the Contractor/Owner Builder hereby certify that the components being used, fasteners type and fastening pattern meet all the requirements for the designated wind zones established by the county and take full responsibility for complying with the submitted design of the structure being permitted.
- 2. I further certify that all the foregoing information is accurate, that no work or installation has commenced prior to the issuance of a permit and that all work shall be performed in compliance with all applicable laws regulating construction and zoning in this jurisdiction. I understand that separate permits may be required for ELECTRICAL, and HVAC, etc., not otherwise included with this building permit application.
- 3. I, the Contractor / Owner Builder, have verified that the existing foundation meets the requirements of the Engineer of Record and is in adequate condition to withstand the uplift and weight of the aluminum structure and said structure will not exceed the footprint of the structure that was in existence prior to removal by the storms.

OWNER OR CONTRACTOR SIGNATURE	CONTRACTOR SIGNATURE
STATE OF FLORIDA COUNTY OF	STATE OF FLORIDA COUNTY OF
The foregoing instrument was acknowledged before me	The foregoing instrument was acknowledged before me
me this, 20,	me this, 20,
by,	by,
who is personally known to me, or who has	who is personally known to me, or who has
produced,	produced,
as identification.	as identification.
(Seal)	Signature of Notary (Seal)

IMPORTANT NOTICES:

- TWO (2) SIGNATURES ARE REQUIRED. EACH SIGNATURE MUST BE NOTARIZED. IF APPLYING FOR THIS BUILDING PERMIT AS AN OWNER/BUILDER, THE OWNER MUST PERSONALLY APPEAR, IN THE OFFICE LISTED ON THE FRONT OF THE APPLICATION, TO SIGN THIS APPLICATION & THE OWNER/BLDR AFFIDAVIT.
- ALL SIGNATURES ON APPLICATION SUBMITTED SHALL BE ORIGINAL, SIGNED IN INK. COPIES, FAXES, OR STAMPED REPRODUCTIONS ARE PROHIBITED.
- WHEN A PERMIT IS AVAILIBLE FOR ISSUANCE BUT IS NOT PICKED UP WITHIN THIRTY (30) DAYS AFTER NOTIFICATION OF AVAILIBILITY, IT WILL BE VOIDED. IF THE APPLICATION IS RESUBMITTED, AN ADDITIONAL FEE WILL BE CHARGED.